Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

- 1. (currently amended) A method for treating pain in a subject comprising administering to said subject an effective amount of a compound selected from the group consisting of loxapine, pharmaceutically acceptable salts of loxapine, and prodrugs of loxapine.
- 2. (original) A method in accordance with claim 1, wherein said effective amount is an amount sufficient to reduce pain present in said subject.
- 3. (original) A method in accordance with claim 1, wherein said compound is administered systemically.
- 4. (original) A method in accordance with claim 1, wherein said pain is selected from the group consisting of migraine pain, cluster headache pain and tension-type headache pain.
- 5. (original) A method in accordance with claim 4, wherein said pain is migraine pain.
- 6. (original) A method in accordance with claim 4, wherein said pain is cluster headache pain.
- 7. (original) A method in accordance with claim 4, wherein said pain is tension-type headache pain.
- 8. (original) A method in accordance with claim 1 wherein said compound is administered by inhalation.

9. (original) A method in accordance with claim 1, wherein said subject is human, said pain is migraine, and said compound is administered by inhalation.

- 10. (currently amended) A method in accordance with claim 1, wherein from about 0.3 to about 20 mg of loxapine is administered, or an amount of a salt or prodrug of loxapine is administered that produces in the subject a blood concentration of loxapine equivalent to the administration of from about 0.3 to about 20 mg of loxapine.
- 11. (currently amended) A method in accordance with claim 1, wherein from about 1 to about 10 mg of loxapine is administered, or an amount of a salt or prodrug of loxapine is administered that produces in the subject a blood concentration of loxapine equivalent to the administration of from about 1 to about 10 mg of loxapine.
- 12. (original) A method in accordance with claim 10, wherein administration of the loxapine or salt or prodrug thereof to the subject is conducted so as to result in a maximum blood level of loxapine within about 30 minutes from said administration.
- 13. (original) A method in accordance with claim 10, wherein administration of the loxapine or salt or prodrug thereof to the subject is conducted so as to result in a maximum blood level of loxapine within about 15 minutes from said administration.
- 14. (original) A method in accordance with claim 10, wherein administration of the loxapine or salt or prodrug thereof to the subject is conducted so as to result in a peak rate of increase in the blood level of loxapine of at least about 1 ng/ml/minute.
- 15. (original) A method in accordance with claim 10, wherein administration of the loxapine or salt or prodrug thereof to the subject is conducted so as to result in a blood level of loxapine of at least about 5 ng/ml within about 15 minutes from said administration.

16. (original) A method in accordance with claim 1 wherein said compound is administered via inhalation using a rapid-heating drug delivery article or a thin-film drug delivery article.

- 17. (currently amended) A method in accordance with claim 1, wherein said compound is administered via <u>an</u> inhalation delivery device, said compound being vaporized and condensed to provide at least 50% recovery of said compound in an aerosol and wherein said aerosol contains less than about 5% by weight of compound degradation products.
- 18. (currently amended) A method in accordance with claim 17, wherein said compound is coated on a substrate in the delivery device as \underline{a} thin-film having a film thickness between about 0.5 and 20 μ m.
- 19. (original) A method in accordance with claim 1, wherein said compound is administered in the form of an aerosol having a mass median aerodynamic diameter (MMAD) of between about 0.01 and about 3 μm .
- 20. (original) A method in accordance with claim 1, wherein said compound is administered via a rapid heating drug delivery article, said compound being volatized from a compound composition film under conditions sufficient to provide an aerosol having at least 50% recovery of said compound and containing less than about 10% by weight of compound degradation products.
- 21. (withdrawn) A composition for the treatment of pain, said composition comprising (a) an analysesic amount of a compound selected from the group consisting of loxapine, pharmaceutically acceptable salts thereof, and prodrugs thereof, and (b) a pharmaceutically acceptable carrier.
- 22. (withdrawn) A composition of claim 21, further comprising one or more analgesic, anti-inflammatory or antimigraine agents.

23. (withdrawn) A thin-film composition for the treatment of pain comprising an analgesic amount of a compound selected from the group consisting of loxapine, pharmaceutically acceptable salts thereof and prodrugs thereof, and having a film thickness of from about 0.5 to about $20~\mu m$.

24. (original) A method for treating headache pain in a subject comprising administering to said subject an effective amount of a compound selected from the group consisting of loxapine, pharmaceutically acceptable salts of loxapine and prodrugs of loxapine.